

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	1	("7196304").PN.	US- PGPU B; USPA T
2	IS&R	L2	7	((("6107655") or ("6160281") or ("6218656") or ("6352869") or ("6423994") or ("6552323") or ("6657665")).PN.	US- PGPU B; USPA T
3	IS&R	L3	0	("storageadj2node").PN.	US- PGPU B; USPA T
4	BRS	L4	12718	storage adj2 node	US- PGPU B; USPA T
5	BRS	L5	6554	capacitor same 4	US- PGPU B; USPA T

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	4814	(shutter adj2 transistor) or (electronic adj2 shutter)	US- PGPU B; USPA T
7	BRS	L7	11	5 same 6	US- PGPU B; USPA T
8	BRS	L8	725	anti adj2 blooming	US- PGPU B; USPA T
9	BRS	L9	2	7 same 8	US- PGPU B; USPA T
10	BRS	L10	8221	capacitor and 4	US- PGPU B; USPA T
11	BRS	L11	83	6 and 10	US- PGPU B; USPA T

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	11	8 and 11	US- PGPU B; USPA T
13	BRS	L13	5273	storage adj2 node	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
14	BRS	L14	2348	(shutter adj2 transistor) or (electronic adj2 shutter)	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	209	anti adj2 blooming	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
16	BRS	L16	2655	capacitor and 13	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
17	BRS	L17	2	14 and 16	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
18	BRS	L18	2	16 and 17	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB